

Crucible List

PRODUCT CODE	OUTSIDE DIAMETER	INSIDE DIAMETER	OVERALL HEIGHT	INSIDE HEIGHT	CAPACITY		INTERNAL PROFILE
					GLASS	METAL	
LHB	46	29	52	44	0.1	0.2	FLAT BOTTOM
LFC	50	38	95	85	0.2	0.7	FLAT BOTTOM, POURING LIP
LFG	54	37	67	62	0.1	0.5	ROUND BOTTOM, DENTAL
LFN	60	48	124	111	0.5	1.4	FLAT BOTTOM
LG0	60	49	133	123	0.5	1.7	FLAT BOTTOM
LFR	70	57	130	121	0.7	2.2	FLAT BOTTOM
LGS	70	57	85	76	0.4	1.4	FLAT BOTTOM
LGD	78	62	161	153	1.0	3.3	FLAT BOTTOM
LGX	78	60	97	85	0.5	1.7	SMALL POURING CRUCIBLE
LHK	78	66	113	107	0.8	2.6	FLAT, SUPPORT FLANGE
LG2	82	67	152	143	1.1	3.6	FLAT BOTTOM, POURING LIP
LF9	84	68	161	148	1.2	3.9	FLAT BOTTOM
LNY	84	65	105	93	0.7	2.2	FLAT BOTTOM
LFB	89	70	171	152	1.3	4.2	FLAT BOTTOM
LG3	92	73	130	120	1.1	3.6	FLAT BOTTOM
LG8	92	72	100	90	0.8	2.6	FLAT BOTTOM
LGK	93	78	130	122	1.3	4.2	FLAT BOTTOM
LE1	100	85	160	152	1.9	6.2	FLAT BOTTOM
LF3	100	81	200	185	2.1	6.9	FLAT BOTTOM
LFA	100	80	200	185	2.1	6.7	FLAT BOTTOM
LH0	100	80	185	170	1.9	6.1	FLAT BOTTOM/POURING HOLE
LH3	100	80	125	110	1.2	4.0	FLAT BOTTOM
LHD	100	75	175	160	1.6	5.1	FLAT BOTTOM
LGL	102	82	140	127	1.5	4.8	ROUNDED
LG4	105	88	142	132	1.8	5.8	FLAT BOTTOM
LG9	105	74	128	120	1.2	3.7	FLAT, SUPPORT FLANGE
LFH	108	89	140	125	1.7	5.6	FLAT BOTTOM, TAPERED
LG6	109	91	187	179	2.6	8.4	FLAT BOTTOM
					0.0	0.0	
LF4	117	98	254	225	3.8	12.2	ROUNDED
LKJ	115	90	230	210	3.0	9.6	FLAT BOTTOM
LNT	115	90	210	190	2.7	8.7	FLAT BOTTOM
LF4	117	98	254	224	3.8	12.2	FLAT BOTTOM
LH7	117	96	184	169	2.8	8.8	FLAT BOTTOM
LFW	117	98	255	225	3.8	12.2	ROUNDED WITH TOP CUT OUT
LF1	120	104	170	157	3.0	9.6	FLAT, POURING LIP, TAPERED
LFT	120	100	190	170	3.0	9.6	FLAT BOTTOM
LF8	121	104	152	135	2.6	8.3	ROUNDED, TAPERED
LGB	121	102	254	240	4.4	14.1	ROUNDED BOTTOM
LGV	124	104	170	155	3.0	9.5	FLAT BOTTOM
LF2	125	105	215	200	3.9	12.5	FLAT BOTTOM
LGE	125	105	215	200	3.9	12.5	FLAT BOTTOM

CAPACITY

90% full (Kg)

PRODUCT CODE	OUTSIDE DIAMETER	INSIDE DIAMETER	OVERALL HEIGHT	INSIDE HEIGHT	GLASS	METAL	INTERNAL PROFILE
LGG	125	100	318	286	5.1	16.2	ROUNDED
LH1	125	105	215	200	3.9	12.5	FLAT BOTTOM/POURING HOLE
LG7	130	110	220	205	4.4	14.0	FLAT BOTTOM
LJD	130	114	155	140	3.2	10.3	TAPERED, FLAT BOTTOM
LJL	130	100	165	148	2.6	8.4	FLAT BOTTOM
LJA	135	112	270	256	5.7	18.2	ROUNDED BOTTOM
LE3	140	114	180	164	3.8	12.0	FLAT BOTTOM, POURING HOLE
LFD	140	123	89	80	2.1	6.8	POURING CUP
LH6	140	110	140	124	2.7	8.5	FLAT BOTTOM
LHX	140	120	210	190	4.8	15.5	FLAT BOTTOM
LJM	140	114	305	290	6.7	21.3	FLAT BOTTOM
LJP	140	122	303	290	7.6	24.4	FLAT BOTTOM
LJT	140	121	280	265	6.9	21.9	FLAT BOTTOM
LNW	140	122	260	247	6.5	20.8	FLAT BOTTOM
LJV	145	125	255	240	6.6	21.2	ROUNDED
LGC	150	130	210	200	6.0	19	FLAT BOTTOM
LGF	150	120	450	436	11.1	35	FLAT BOTTOM
LH8	150	129	175	165	4.8	16	FLAT BOTTOM
LJY	150	120	450	435	11.1	35	FLAT BOTTOM
LKS	150	120	450	436	11.1	35	FLAT BOTTOM
LJ4	159	133	320	305	9.5	30	FLAT BOTTOM, TAPERED
LJC	159	133	320	305	9.5	30	FLAT BOTTOM, TAPERED,
LFF	165	145	280	265	9.8	31	ROUNDED
LJN	165	140	267	248	8.6	27	FLAT BOTTOM
LKG	165	128	500	465	13.5	43	FLAT BOTTOM
LKR	165	140	267	248	8.6	27	FLAT BOTTOM
LLX	165	141	300	279	9.8	31	FLAT BOTTOM, POURING HOLE
LNP	165	140	235	216	7.5	24	FLAT BOTTOM
LKZ	168	140	315	300	10.4	33	FLAT BOTTOM
LJG	168	140	330	315	10.9	35	FLAT BOTTOM
LKV	174	137	310	288	9.5	31	ROUNDED
LG5	178	160	265	248	11.2	36	FLAT BOTTOM
LM5	178	150	200	184	7.3	23	FLAT BOTTOM
LGR	179	152	303	287	11.7	37	FLAT BOTTOM
LJ2	179	152	303	287	11.7	37	FLAT BOTTOM, POURING HOLE X2
LJR	179	152	303	287	11.7	37	FLAT BOTTOM, POURING HOLE
LJ9	179	152	303	287	11.7	37	FLAT BOTTOM
LJH	180	150	200	184	7.3	23	FLAT BOTTOM
LJW	190	168	406	380	18.9	61	FLAT BOTTOM
LGP	191	160	167	142	6.4	21	FLAT BOTTOM
LGJ	193	167	490	470	23.2	74	FLAT BOTTOM
LHR	193	166	330	310	15.1	48	FLAT BOTTOM
LNK	200	175	200	180	9.7	31	POURING CUP, TAPERED
					0	0	



CAPACITY

90% full (Kg)

PRODUCT CODE	OUTSIDE DIAMETER	INSIDE DIAMETER	OVERALL HEIGHT	INSIDE HEIGHT	GLASS	METAL	INTERNAL PROFILE
LJ0	204	183	281	261	15	49	FLAT BOTTOM
LK9	214	193	388	353	23	74	ROUNDED
LKW	218	183	400	379	22	72	FLAT BOTTOM
LKX	218	182	330	309	18	58	FLAT BOTTOM
LNМ	218	180	200	179	10	33	FLAT BOTTOM
LGH	229	200	324	291	21	66	ROUNDED
LJ5	229	196	380	255	17	55	FLAT BOTTOM
LJB	229	203	200	170	12	40	FLAT BOTTOM
LJF	229	210	425	405	32	101	ROUNDED
LJK	229	191	110	85	5	18	FLAT BOTTOM
LKH	229	203	200	171	12	40	FLAT BOTTOM, CASTELATIONS
LKY	229	204	150	131	10	31	ROUNDED BOTTOM
LJ1	229	208	375	356	27	87	ROUNDED
LLN	229	206	250	231	17	55	ROUNDED
LK1	230	195	230	205	14	44	FLAT BOTTOM
LKE	230	200	280	250	18	57	FLAT BOTTOM
LGN	238	203	345	320	23	75	FLAT BOTTOM
LH2	240	205	255	225	17	53	FLAT BOTTOM
LHM	240	205	355	325	24	77	FLAT BOTTOM
LKD	240	205	375	345	26	82	ROUNDED BOTTOM
LKK	240	205	375	345	26	82	FLAT BOTTOM
LJE	241	210	255	230	18	57	TAPERED, FLAT BOTTOM
LNE	245	204	373	345	25	81	FLAT BOTTOM
LKA	265	230	380	360	34	108	FLAT BOTTOM
LHL	270	229	400	375	35	111	FLAT BOTTOM
LJX	270	230	420	395	37	118	FLAT BOTTOM
LK6	270	228	505	465	43	137	FLAT BOTTOM
LK7	270	226	415	375	34	108	FLAT BOTTOM
LK8	270	222	290	250	22	70	FLAT BOTTOM
LKF	270	220	440	400	34	109	FLAT BOTTOM
LKM	270	228	505	465	43	137	FLAT BOTTOM
LKT	270	227	470	430	39	125	FLAT BOTTOM
LN9	270	230	300	275	26	82	FLAT BOTTOM
LP3	270	228	480	440	40	129	FLAT BOTTOM
LE2	280	230	465	425	40	127	FLAT BOTTOM
LL4	280	240	650	630	64	205	POURING CRUCIBLE
LND	283	255	350	330	38	121	FLAT BOTTOM
LKC	229	210	324	305	24	76	ROUNDED
LNC	229	206	350	231	17	55	ROUNDED
LHE	300	260	1025	981	117	375	FLAT BOTTOM
LLC	300	260	950	900	107	344	FLAT BOTTOM, POURING LIP
LMF	300	250	500	450	50	159	FLAT BOTTOM
LNO	300	245	460	415	44	141	FLAT BOTTOM
LN7	300	260	948	904	108	345	FLAT BOTTOM, POURING LIP
LN8	300	260	948	904	108	345	FLAT BOTTOM



CAPACITY

90% full (Kg)

PRODUCT CODE	OUTSIDE DIAMETER	INSIDE DIAMETER	OVERALL HEIGHT	INSIDE HEIGHT	GLASS	METAL	INTERNAL PROFILE
LNB	300	260	948	904	108	345	FLAT BOTTOM, POURING HOLE
LNG	300	260	1025	981	117	375	FLAT BOTTOM
					0	0	
LGT	315	275	500	467	62	200	FLAT BOTTOM
LNR	315	271	400	367	48	152	FLAT BOTTOM, POURING LIP
LH9	320	278	400	367	50	160	FLAT BOTTOM
LHA	320	280	450	417	58	185	FLAT BOTTOM
LHC	320	285	570	537	77	247	FLAT BOTTOM
LKN	320	289	250	230	34	109	FLAT BOTTOM
LLB	320	285	570	537	77	247	FLAT BOTTOM
LLF	320	280	465	420	58	186	FLAT BOTTOM, POURING LIP
LLR	320	280	490	460	64	204	FLAT BOTTOM
LMD	320	280	465	430	60	191	FLAT BOTTOM
LME	320	280	515	480	66	213	FLAT BOTTOM
LMG	320	280	460	420	58	186	FLAT BOTTOM, POURING LIP
LMR	320	280	450	415	57	184	FLAT BOTTOM
LNL	338	333	725	692	136	434	FLAT BOTTOM, POURING HOLE
LH5	340	295	480	440	68	216	FLAT BOTTOM
LK0	340	290	470	440	65	209	FLAT BOTTOM
LKB	340	290	320	290	43	138	FLAT BOTTOM
LNF	340	292	320	290	44	140	FLAT BOTTOM
LHF	345	304	690	650	106	340	FLAT BOTTOM
LHG	345	305	740	700	115	368	FLAT BOTTOM
LGW	370	326	500	465	87	279	FLAT BOTTOM
LLV	370	310	622	583	99	317	FLAT BOTTOM
LN6	380	320	700	660	119	382	FLAT BOTTOM
LL9	385	330	625	590	113	363	FLAT BOTTOM, POURING LIP
LM9	385	330	565	530	102	326	FLAT BOTTOM
LE0	388	325	510	477	89	285	FLAT BOTTOM
LHT	388	325	590	557	104	333	FLAT BOTTOM
LHV	388	332	690	657	128	409	FLAT BOTTOM
LLW	388	325	565	532	99	318	FLAT BOTTOM
LLY	388	333	625	592	116	371	FLAT BOTTOM
LM2	388	222	625	592	52	165	FLAT BOTTOM
LN3	388	333	725	692	136	434	FLAT BOTTOM
LNJ	388	332	580	547	106	341	FLAT BOTTOM
LNK	388	333	725	692	136	434	FLAT BOTTOM
LNV	388	333	625	592	116	371	FLAT BOTTOM
LMN	390	330	625	590	113	363	FLAT BOTTOM, POURING LIP
LKP	425	385	400	377	99	316	FLAT BOTTOM
LK5	430	360	700	660	151	483	FLAT BOTTOM
LLT	430	360	650	610	140	447	FLAT BOTTOM, POURING LIP
LM0	430	390	500	460	124	395	FLAT BOTTOM
LM8	430	370	650	610	147	472	FLAT BOTTOM, POURING LIP
LML	430	365	620	580	136	437	FLAT BOTTOM, POURING LIP



CAPACITY

PRODUCT CODE	OUTSIDE DIAMETER	INSIDE DIAMETER	OVERALL HEIGHT	INSIDE HEIGHT	GLASS	METAL	INTERNAL PROFILE
LK3	445	365	590	550	129	414	FLAT BOTTOM
LHJ	470	380	700	642	164	524	FLAT BOTTOM
LLD	470	390	825	765	206	658	FLAT BOTTOM
LLE	470	380	715	665	170	543	FLAT BOTTOM, POURING LIP
LMC	470	390	720	670	180	576	FLAT BOTTOM, POURING LIP
LE4	480	400	645	585	165	529	FLAT BOTTOM, POURING HOLE
LHW	500	420	865	805	251	803	FLAT BOTTOM
LHH	518	430	769	710	232	742	FLAT BOTTOM, POURING LIP
LHN	518	430	769	710	232	742	FLAT BOTTOM
LN5	550	460	915	852	318	1019	FLAT BOTTOM
LMJ	588	510	956	893	410	1313	FLAT BOTTOM
LMK	588	510	915	852	391	1253	FLAT BOTTOM, POURING LIP
LGY	600	504	700	637	286	915	FLAT BOTTOM
LLA	600	505	955	895	403	1290	FLAT BOTTOM, TAPERED
LLM	600	508	875	812	370	1184	FLAT BOTTOM, POURING LIP
LLS	600	505	915	850	383	1225	FLAT BOTTOM, POURING LIP
LM6	600	505	745	682	307	983	FLAT BOTTOM
LMA	600	500	915	850	375	1201	FLAT BOTTOM
LMH	600	500	825	760	336	1074	FLAT BOTTOM, POURING LIP
LMM	600	500	955	895	395	1265	FLAT BOTTOM
LN4	600	510	915	852	391	1253	FLAT BOTTOM
KY0	650	546	425	360	190	607	FLAT BOTTOM
LM1	705	605	1188	1125	727	2327	FLAT BOTTOM
LH4	805	705	427	352	309	989	ROUND BOTTOM
LHS	910	800	440	350	396	1266	ROUNDED

Based on a glass density of 2.5g/cc and metal density of 8g/cc

